



2021 Bacteria Levels at Carrying Place Beach

Enterococci bacteria, though not harmful themselves, indicate the presence of fecal contamination and other potentially harmful bacteria in the water. These are known to cause vomiting, diarrhea, nausea, abdominal pain, ear infections, and fever in recreational swimmers. Young children and people with compromised immune systems are especially susceptible. Beaches are monitored around the country to protect the public, but the Shaw Institute is the only organization that monitors beaches in the Blue Hill area, using the same protocols as the Maine Healthy Beaches program assessment parameters from EPA. **According to the EPA, no single sample should exceed 104 Enterococci bacteria cells per 100 mL using the most probable number method (MPN) and monthly averages should not exceed 35.** Carrying Place Beach is sampled every week rotating between the low and high tides.



Most Recent Sampling Days	Sampling Sites	Enterococci Bacteria Count	Meets EPA Criteria
June 22 (Low Tide)	C	<10	👍
	D	20	
June 28 (High Tide)	A	145	👎
	B	21	
June 29 (Low Tide)	C	10	👍
	D	10	
July 5 (Low Tide)	C	<10	👍
	D	10	
July 12 (High Tide)	A	10	👍
	B	<10	
Monthly Average (June 22- July 12)		24	👍

Carrying Place Beach



For More Information, Please Visit Our Website