








2018 Bacteria Levels at Carrying Place Beach

Enterococci bacteria, though not harmful themselves, indicate the presence of fecal contamination and other potentially harmful bacteria in the water. These are known to cause vomiting, diarrhea, nausea, abdominal pain, ear infections, and fever in recreational swimmers. Young children and people with compromised immune systems are especially susceptible. Beaches are monitored around the country to protect the public, but the Shaw Institute (formerly MERI), is the only organization that monitors beaches in the Blue Hill area, using the same protocols as the Maine Healthy Beaches program assessment parameters from EPA. **According to the EPA, no single sample should exceed 104 Enterococci bacteria and monthly averages should not exceed 35.** Carrying Place Beach is sampled every week rotating between the low and high tides.

Monthly Average (Aug 15 - Sept 11)	1	
---------------------------------------	---	---



Carrying Place Beach — 2018 Enterococci Levels			
Most Recent Sampling Days	Sampling Sites	Enterococci Bacteria Count	Meets EPA Criteria
Sept 11 (Low Tide)	C	0	
	D	0	
Sept 5 (High Tide)	A	0	
	B	10	
Aug 28 (Low Tide)	A	0	
	B	0	
Aug 20 (High Tide)	A	0	
	B	0	
Aug 15 (Low Tide)	A	0	
	B	0	

